

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
CLASS 4924

2013 Ford Econoline Wagon E-350 Super Duty



2013 Ford Econoline Wagon E-350 Super Duty XL (E3B)

CLASS 4924

VAN PASSENGER FULLSIZE DRW

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Vehicle Report: Table of Contents

VEHICLE INFORMATION

Selected Model	1
Selected Vehicle Colors	1
Selected Options	1
Aftermarket Options	1

STANDARD EQUIPMENT

Mechanical	3
Exterior	10
Entertainment	3
Interior	3
Safety	4

TECHNICAL SPECIFICATIONS

Chassis	5
Vehicle	7
Powertrain	7
Dimensions	8
Exterior	10

WARRANTY INFORMATION

Warranty Information	11
----------------------	----

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Vehicle Information

SELECTED MODEL

Code	Description	Front Weight	Rear Weight
E3B	2013 Ford Econoline Wagon E-350 Super Duty XL	3059 lbs	2969 lbs

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description	Front Weight	Rear Weight
425	50 STATE EMISSIONS		
99L	5.4L EFI FFV V8 ENGINE, (STD)		
44Q	4-SPEED AUTOMATIC TRANSMISSION W/OD, (STD)		
X34	3.73 AXLE RATIO		
710A	XL SERIES ORDER CODE		
T37	LT225/75R16E ALL-SEASON BSW TIRES		
—	60/40 HINGED SIDE CARGO DOOR, (STD)		
—	STANDARD PAINT		
CE	MEDIUM FLINT, CLOTH BUCKET SEATS, (REQ: 18G Interior Upgrade Pkg)		
218	12-PASSENGER SEATING, (STD)		
Front Weight		Rear Weight	
574	HIGH CAPACITY FRONT & REAR AIR CONDITIONING	-3.0	50.0
Front Weight		Rear Weight	
18G	INTERIOR UPGRADE PKG, -inc: front & rear carpeting, XLT side/rear cargo door trim panels, cloth bucket seats, dash absorber, headlights-on audible alert warning chime, front carpeted floor mats, Insulation pkg, pwr windows & locks group, (N/A w/66S 11-Passenger Center Aisle Seating Prep Pkg)	27.0	14.0
903	PWR WINDOWS & LOCKS GROUP, -inc: pwr door locks, pwr windows w/one touch driver down, high-series door trim panels, (N/A w/66S 11-Passenger Center Aisle Seating Prep Pkg), *Memory lock module w/60S Sliding Side Cargo Door*	9.0	4.0
63G	HD 78 AMP-HR BATTERY		
634	DUAL BATTERIES, -inc: primary 72 amp-hr battery & frame-mounted 78 amp-hr HD battery	29.0	38.0
536	CLASS II/III/IV TOWING PKG W/HITCH, -inc: electric brake controller tap-in capability, trailer wiring harness w/bumper bracket, relay system for backup/B+/running lights, frame mounted hitch receiver	-16.0	69.0
924	PRIVACY GLASS, -inc: dark glass from B-pillar to back only		
153	LICENSE PLATE BRACKET, *Required & generated in states issuing two license plates*	1.0	0.0
585	AM/FM STEREO W/CD PLAYER, -inc: (6) speakers, digital clock, audio input jack, satellite radio capability		
162	FRONT VINYL FLOOR COVERING, (REQ: 18G Interior Upgrade Pkg), *Deletes carpeted flooring included in 18G Interior Upgrade Pkg*		
163	REAR VINYL FLOOR COVERING, (REQ: 18G Interior Upgrade Pkg, 162 Front Vinyl Floor Covering), *Deletes carpeted flooring included in 18G Interior Upgrade Pkg*		
948	REMOTE KEYLESS ENTRY, -inc: (2) remote transmitters, remote door lock & unlock, remote lights activation, audible panic alarm, (REQ: 18G Interior Upgrade Pkg)	1.0	0.0
525	CRUISE CONTROL	2.0	0.0
942	DAYTIME RUNNING LIGHTS, (LPO)		

AFTERMARKET OPTIONS

Ford-Alarm	Front Weight	Rear Weight
Backup Alarm for fullsize passenger and cargo van. Option code: AMO.	0	0


carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Standard Equipment

MECHANICAL

5.4L EFI FFV V8 engine
4-speed automatic transmission w/OD
Electronic throttle control
Rear-wheel drive
650 CCA (72 amp-hr) maintenance-free battery
120 amp alternator
5000# capacity twin I-beam front/6340# capacity semi-floating rear axles
Front stabilizer bar
Front & rear HD shock absorbers
Pwr steering
Pwr 4-wheel disc brakes

EXTERIOR

LT225/75R16E all-season BSW tires
60/40 hinged side cargo door
16" x 7" styled steel wheels w/sport wheel covers
Sport wheel covers
Spare tire and wheel
Black painted front bumper w/lower black plastic valence
Black painted rear bumper
Dual sealed beam headlights
Aerotype manual mirrors w/spotters & RH convex lens
Solar tinted glass
Interval windshield wipers
50/50 hinged swing-out rear cargo door w/172-degree door checks

ENTERTAINMENT

AM/FM stereo -inc: audio input jack, digital clock, (6) speakers

INTERIOR

12-passenger seating
Front air conditioning
Front vinyl bucket seats
(2) 3-passenger 2nd & 3rd row bench seats
(1) 4-passenger 4th row bench seat
Front inboard armrest
Slim line color-keyed engine cover console-inc: dual bin stowage, (3) cup holders
Front vinyl floor covering
Rear vinyl floor covering
Black plastic stepwell pads
Tilt steering wheel
Medium flint instrument panel w/tachometer
(4) 12-volt pwr points-inc: (2) instrument panel, (1) glove box, (1) located rear of driver
Medium flint plastic front door trim panels
Medium flint polypropylene side/rear quarter door trim panels
Black cowl side trim panels
Medium flint full-length acoustical cloth headliner

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Medium flint cloth/vinyl sunvisors
Dual A-pillar grab handles
Front dome light
Rear cargo light
Courtesy light switches for all doors
Medium flint coat hooks

SAFETY

4-wheel anti-lock braking system (ABS)
AdvanceTrac w/Roll Stability Control
Driver & front passenger 2nd generation airbags
Front height adjustable 3-point safety belts
Rear 3-point shoulder/lap safety belts in all positions
Tire pressure monitoring system (TPMS)
Dual note electric horn

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	6028.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	3059.00 lbs
Base Trim Weight - Rear	2969.00 lbs
Gross Axle Wt Rating - Front	3700 lbs
Gross Axle Wt Rating - Rear	6084 lbs
Curb Weight - Front	3059 lbs
Curb Weight - Rear	2969 lbs
Option Weight - Front	44.00 lbs
Option Weight - Rear	167.00 lbs
Reserve Axle Capacity - Front	597.00 lbs
Reserve Axle Capacity - Rear	2948.00 lbs
As Spec'd Curb Weight	6239.00 lbs
As Spec'd Payload	3261.00 lbs
Maximum Payload Capacity	3472.00 lbs
Gross Combined Wt Rating	13000 lbs
Gross Axle Weight Rating	9784.00 lbs
Curb Weight	6028.00 lbs
Reserve Axle Capacity	3545.00 lbs
Total Option Weight	211.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	9500.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs
Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	6700 lbs
Wt Distributing Hitch - Max Tongue Wt.	1005 lbs
Maximum Trailering Capacity	N/A lbs

Frame

Frame Type	Single-Channel
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Suspension

Suspension Type - Front	Independent
Suspension Type - Rear	Live Axle
Spring Capacity - Front	3400 lbs
Spring Capacity - Rear	5545 lbs
Axle Type - Front	Twin I-Beam
Axle Type - Rear	Semi-Floating
Axle Capacity - Front	5000 lbs
Axle Capacity - Rear	6340 lbs
Axle Ratio (:1) - Front	
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	35.0 mm
Shock Absorber Diameter - Rear	35.0 mm
Stabilizer Bar Diameter - Front	1.0 in
Stabilizer Bar Diameter - Rear	

Tires

Front Tire Order Code	T37
Rear Tire Order Code	T37
Spare Tire Order Code	
Front Tire Size	LT225/75R16E
Rear Tire Size	LT225/75R16E
Spare Tire Size	LT225/75R16E
Front Tire Capacity	2680 lbs
Rear Tire Capacity	2680 lbs
Spare Tire Capacity	2680 lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	16 x 7.0 in
Rear Wheel Size	16 x 7.0 in
Spare Wheel Size	16 X 7.0 in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Pwr Recirculating Ball
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	17.0
Steering Ratio (:1), At Lock	17.0
Turning Diameter - Curb to Curb	48.6 ft
Turning Diameter - Wall to Wall	50.0 ft

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Brakes

Brake Type	Pwr
Brake ABS System	Four Wheel
Brake ABS System (Second Line)	
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	13.6 x 0.5 in
Rear Brake Rotor Diam x Thickness	13.6 x 0.4 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	33.0 gal
Aux Fuel Tank Capacity, Approx	
Fuel Tank Location	Midship
Aux Fuel Tank Location	

VEHICLE**Emissions**

Tons/yr of CO2 Emissions @ 15K mi/year	12.8 (2012)
EPA Greenhouse Gas Score	N/A

Vehicle

Rear Door Type	Dual Hinged
----------------	-------------

POWERTRAIN**Transmission**

Drivetrain	Rear Wheel Drive
Trans Order Code	44Q
Trans Type	4
Trans Description Cont.	Automatic
Trans Description Cont. Again	
First Gear Ratio (:1)	2.84
Second Gear Ratio (:1)	1.55
Third Gear Ratio (:1)	1.00
Fourth Gear Ratio (:1)	0.70
Reverse Ratio (:1)	2.32
Clutch Size	
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	
Transfer Case Gear Ratio (:1), High	
Transfer Case Gear Ratio (:1), Low	
Transfer Case Power Take Off	

carbookfleetedition

Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Mileage

EPA Fuel Economy Est - Hwy	15 (2012) MPG
Cruising Range - City	363.00 mi
EPA Fuel Economy Est - City	11 (2012) MPG
Fuel Economy Est-Combined	13 (2012) MPG
Cruising Range - Hwy	495.00 mi

Engine

Engine Order Code	99L
Engine Type	Gas/Ethanol V8
Displacement	5.4L/330
Fuel System	Electronic Fuel Injection
SAE Net Horsepower @ RPM	255 @ 4500
SAE Net Torque @ RPM	350 @ 2500
Engine Oil Cooler	Yes

Electrical

Cold Cranking Amps @ 0° F (Primary)	N/A
Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	120

Cooling System

Total Cooling System Capacity	25.9 qts
-------------------------------	----------

DIMENSIONS**Interior Dimensions**

Passenger Capacity	12
Front Head Room	42.0 in
Front Leg Room	40.0 in
Front Shoulder Room	68.1 in
Front Hip Room	65.6 in
Second Head Room	40.2 in
Second Leg Room	38.8 in
Second Shoulder Room	71.7 in
Second Hip Room	66.5 in
Third Head Room	40.1 in
Third Leg Room	40.0 in
Third Shoulder Room	71.7 in
Third Hip Room	66.8 in
Fourth Head Room	38.9 in
Fourth Leg Room	39.4 in
Fourth Shoulder Room	69.4 in
Fourth Hip Room	66.1 in

carbookfleetedition

Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Exterior Dimensions

Wheelbase	138.0 in
Length, Overall w/o rear bumper	N/A in
Length, Overall w/rear bumper	216.7 in
Width, Max w/o mirrors	79.4 in
Height, Overall	83.1 in
Overhang, Front	34.9 in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	30.2 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	N/A in
Ground Clearance, Rear	N/A in
Body Length	0.00 ft
Rear Door Opening Height	46.8 in
Rear Door Opening Width	54.4 in
Side Door Opening Height	47.2 in
Side Door Opening Width	44.8 in
Step Up Height - Front	N/A in
Step Up Height - Side	N/A in
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	N/A in
Cargo Area Length @ Floor to Console	138.7 in
Cargo Area Length @ Floor to Seat 1	120.6 in
Cargo Area Length @ Floor to Seat 2	84.9 in
Cargo Area Length @ Floor to Seat 3	51.4 in
Cargo Box Width @ Top, Rear	N/A in
Cargo Area Width @ Beltline	N/A in
Cargo Box Width @ Floor	N/A in
Cargo Box Width @ Wheelhousings	51.1 in
Cargo Box (Area) Height	51.9 in
Tailgate Width	N/A in
Cargo Volume	N/A ft ³
Cargo Volume to Seat 1	237.8 ft ³
Cargo Volume to Seat 2	N/A ft ³
Cargo Volume to Seat 3	N/A ft ³
Cargo Volume to Seat 4	N/A ft ³
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Side Door Type

Hinged 60/40

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.


carbookfleetedition

Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Warranty Information

Basic:
3 Years/36,000 Miles
Drivetrain:
5 Years/60,000 Miles
Corrosion:
5 Years/Unlimited Miles
Roadside Assistance:
5 Years/60,000 Miles



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.